

Site Usage

3,664 Visits

52.84% Bounce Rate

8,571 Pageviews

00:01:51 Avg. Time on Site

2.34 Pages/Visit


86.74% % New Visits

Visitors Overview




Visitors
3,236

Map Overlay world




Traffic Sources Overview



- **Search Engines**
3,256 (88.86%)
- **Referring Sites**
279 (7.61%)
- **Direct Traffic**
129 (3.52%)

Content Overview

Pages	Pageviews	% Pageviews
/index.php	991	11.56%
/windows.php	936	10.92%
/concretecrack.php	775	9.04%
/floorsystems.php	717	8.37%
/contractorsearch.php	501	5.85%



3,236 people visited this site

3,664 Visits

3,236 Absolute Unique Visitors

8,571 Pageviews

2.34 Average Pageviews


00:01:51 Time on Site

52.84% Bounce Rate

86.90% New Visits

Technical Profile

Browser	Visits	% visits	Connection Speed	Visits	% visits
Internet Explorer	3,184	86.90%	Cable	1,518	41.43%
Firefox	359	9.80%	Unknown	862	23.53%
Safari	113	3.08%	DSL	833	22.73%
Mozilla	4	0.11%	T1	309	8.43%
Netscape	2	0.05%	Dialup	124	3.38%



All traffic sources sent 3,664 visits via 62 sources and mediums


Site Usage

Source/Medium	Visits	Pages/Visit	Avg. Time on Site	% New Visits	Bounce Rate
Visits 3,664 % of Site Total: 100.00%					
Pages/Visit 2.34 Site Avg: 2.34 (0.00%)					
Avg. Time on Site 00:01:51 Site Avg: 00:01:51 (0.00%)					
% New Visits 86.90% Site Avg: 86.74% (0.19%)					
Bounce Rate 52.84% Site Avg: 52.84% (0.00%)					
yahoo / organic	1,619	2.23	00:01:47	90.98%	55.47%
google / organic	1,076	2.12	00:01:26	89.13%	60.04%
msn / organic	311	2.79	00:02:14	92.93%	48.55%
live / organic	216	2.44	00:01:59	91.20%	50.00%
(direct) / (none)	129	2.89	00:03:40	52.71%	41.09%
basementquestionsandanswers.com / referral	108	2.73	00:03:00	8.33%	6.48%
thebasementtuxedo.com / referral	23	3.04	00:02:20	82.61%	21.74%
dogpile.com / referral	21	2.71	00:01:14	95.24%	33.33%
goodsearch.com / referral	15	2.60	00:01:20	100.00%	53.33%
fortressstabilization.com / referral	14	4.79	00:03:53	92.86%	7.14%
concretewatersolutions.com / referral	12	5.00	00:04:57	91.67%	8.33%
aol / organic	11	2.55	00:01:07	90.91%	36.36%
emecole.com / referral	10	3.30	00:02:32	100.00%	40.00%
search / organic	10	4.00	00:02:46	90.00%	30.00%
altavista / organic	9	1.44	00:00:46	100.00%	55.56%
metacrawler.com / referral	7	2.43	00:02:30	100.00%	28.57%
webcrawler.com / referral	5	2.60	00:03:24	100.00%	20.00%
msxml.excite.com / referral	4	1.75	00:00:34	100.00%	75.00%
search.netzero.net / referral	4	2.75	00:02:30	100.00%	25.00%
search.viewpoint.com / referral	4	4.00	00:02:55	100.00%	50.00%
expertbasementrepair.com / referral	3	1.67	00:00:35	100.00%	33.33%

guide.opendns.com / referral	3	3.00	00:02:00	100.00%	66.67%
64.233.179.104 / referral	2	1.00	00:00:00	100.00%	100.00%
clusty.com / referral	2	1.00	00:00:00	100.00%	100.00%
contractors.clicksmart.com / referral	2	2.00	00:00:56	50.00%	0.00%
google.ca / referral	2	1.00	00:00:00	50.00%	100.00%
omaha.cox.net / referral	2	8.00	00:05:47	100.00%	0.00%
quicklex.com / referral	2	4.00	00:01:32	100.00%	0.00%
search.myway.com / referral	2	1.50	00:00:23	50.00%	50.00%
search.mywebsearch.com / referral	2	3.00	00:03:27	100.00%	0.00%
search.usatoday.com / referral	2	3.50	00:00:45	50.00%	0.00%
start.shaw.ca / referral	2	2.00	00:10:04	100.00%	50.00%
209.85.207.104 / referral	1	3.00	00:00:21	100.00%	0.00%
72.14.205.104 / referral	1	1.00	00:00:00	100.00%	100.00%
ask / organic	1	3.00	00:02:29	100.00%	0.00%
avantfind.com / referral	1	2.00	00:00:44	100.00%	0.00%
blingo.com / referral	1	3.00	00:13:54	100.00%	0.00%
blogger.com / referral	1	1.00	00:00:00	100.00%	100.00%
boards.hgtvpro.com / referral	1	4.00	00:02:12	100.00%	0.00%
bobvila.com / referral	1	1.00	00:00:00	100.00%	100.00%
by107w.bay107.mail.live.com / referral	1	1.00	00:00:00	100.00%	100.00%
cf31.clusty.com / referral	1	18.00	00:06:40	0.00%	0.00%
cnn / organic	1	2.00	00:00:09	100.00%	0.00%
cyberspace.agilisdetroit.com / referral	1	1.00	00:00:00	0.00%	100.00%
eastlink.infospace.com / referral	1	2.00	00:00:12	100.00%	0.00%
google.com / referral	1	1.00	00:00:00	100.00%	100.00%
google.com.eg / referral	1	9.00	00:04:06	100.00%	0.00%
mamma / organic	1	1.00	00:00:00	100.00%	100.00%
mediacom.infospace.com / referral	1	2.00	00:00:56	100.00%	0.00%
mytelus.com / referral	1	3.00	00:03:09	100.00%	0.00%
netscape / organic	1	1.00	00:00:00	100.00%	100.00%
optimum.net / referral	1	3.00	00:03:24	100.00%	0.00%
search.juno.com / referral	1	2.00	00:00:45	100.00%	0.00%
search.windstream.net / referral	1	3.00	00:01:27	100.00%	0.00%
search10.info.com / referral	1	1.00	00:00:00	100.00%	100.00%
travel.klodzko.pl / referral	1	1.00	00:00:00	100.00%	100.00%
us.f519.mail.yahoo.com / referral	1	1.00	00:00:00	100.00%	100.00%

us.f827.mail.yahoo.com / referral	1	1.00	00:00:00	100.00%	100.00%
us.mg2.mail.yahoo.com / referral	1	1.00	00:00:00	0.00%	100.00%
verizon.net / referral	1	1.00	00:00:00	100.00%	100.00%
wwwz.websearch.verizon.net / referral	1	2.00	00:00:23	100.00%	0.00%
wwwz.websearch.verizon.net / referral	1	1.00	00:00:00	100.00%	100.00%

1 - 62 of 62



Search sent 3,256 total visits via 2,347 keywords


Site Usage

Keyword	Visits	Pages/Visit	Avg. Time on Site	% New Visits	Bounce Rate
Visits 3,256 % of Site Total: 88.86%					
Pages/Visit 2.27 Site Avg: 2.34 (-3.16%)					
Avg. Time on Site 00:01:43 Site Avg: 00:01:51 (-7.15%)					
% New Visits 90.60% Site Avg: 86.74% (4.46%)					
Bounce Rate 55.80% Site Avg: 52.84% (5.61%)					
Keyword	Visits	Pages/Visit	Avg. Time on Site	% New Visits	Bounce Rate
basement dehumidifier	109	1.71	00:00:51	94.50%	70.64%
basement dehumidifiers	71	2.11	00:01:27	97.18%	60.56%
basement egress windows	69	2.74	00:01:53	89.86%	43.48%
basement questions	68	3.24	00:04:31	13.24%	19.12%
basement flooring	45	2.36	00:01:42	88.89%	62.22%
concrete crack repair	39	2.67	00:03:12	28.21%	23.08%
basement lighting	27	2.26	00:01:14	96.30%	62.96%
basement drainage	23	2.91	00:01:41	82.61%	21.74%
basement furniture	22	2.32	00:00:46	100.00%	68.18%
basement doors	19	2.32	00:01:10	89.47%	57.89%
basement finishing	17	2.76	00:02:06	88.24%	41.18%
basement drainage systems	16	1.81	00:01:16	93.75%	56.25%
basement egress window	16	1.56	00:00:12	93.75%	68.75%
basement flooring options	15	2.13	00:01:21	93.33%	46.67%
basement egress	14	2.64	00:04:56	100.00%	42.86%
basement door	12	1.75	00:00:36	91.67%	41.67%
basement floor	11	2.18	00:03:38	90.91%	54.55%
basement finishing costs	9	1.67	00:00:37	88.89%	77.78%
basement floor coating	9	2.00	00:01:46	88.89%	55.56%
basement flooring systems	9	1.56	00:00:18	88.89%	66.67%
basement insulation	9	2.44	00:00:55	100.00%	55.56%
basement floor insulation	8	3.50	00:02:30	100.00%	37.50%

basement floors	8	2.38	00:00:27	100.00%	50.00%
cracks in basement floor	8	3.12	00:03:38	100.00%	12.50%
flooring for basement	8	2.88	00:03:10	100.00%	37.50%
basement foundation	6	3.17	00:01:29	16.67%	0.00%
basement heating	6	1.17	00:00:01	100.00%	83.33%
crawl space drainage	6	3.00	00:05:49	100.00%	33.33%
basement escape windows	5	2.40	00:08:23	100.00%	40.00%
basement finishing cost	5	1.60	00:00:38	100.00%	60.00%
basement floor heat	5	1.20	00:00:18	100.00%	80.00%
basement floor heating	5	2.40	00:02:34	100.00%	20.00%
basement floor repair	5	4.40	00:07:44	100.00%	20.00%
basement floor systems	5	2.20	00:00:54	100.00%	40.00%
basement windows	5	2.20	00:00:39	60.00%	40.00%
flooring for basements	5	1.20	00:00:11	100.00%	80.00%
iron bacteria in sump pump	5	2.60	00:02:21	100.00%	40.00%
repairing bowed basement walls	5	2.00	00:00:52	100.00%	20.00%
repairing cracked basement walls	5	2.40	00:01:44	80.00%	60.00%
bamboo flooring in basement	4	1.00	00:00:00	75.00%	100.00%
basement access doors	4	1.00	00:00:00	100.00%	100.00%
basement drain	4	2.25	00:00:12	100.00%	50.00%
basement drainage system	4	2.75	00:00:57	100.00%	50.00%
basement egress door	4	1.75	00:00:44	100.00%	50.00%
basement egress doors	4	4.50	00:02:26	75.00%	25.00%
basement egress window wells	4	1.25	00:00:02	75.00%	75.00%
basement flooding cleanup	4	2.50	00:01:03	100.00%	50.00%
basement floor coatings	4	7.50	00:15:37	75.00%	0.00%
basement lighting options	4	3.00	00:01:15	100.00%	75.00%
basement wall crack repair	4	4.00	00:03:00	100.00%	50.00%
best flooring for basement	4	3.25	00:08:44	100.00%	25.00%
bowed basement walls	4	1.25	00:00:08	100.00%	75.00%
can brick be used for basement foundation walls in georgia	4	2.00	00:01:31	25.00%	50.00%
concrete cracking repair	4	1.25	00:01:34	100.00%	75.00%
cost of basement egress window	4	1.50	00:00:07	100.00%	75.00%
crawl space wetness	4	1.75	00:00:12	50.00%	75.00%
epoxy concrete crack filler	4	1.25	00:00:02	100.00%	75.00%

outside basement doors	4	2.50	00:00:07	100.00%	75.00%
airtech ventilation and dehumidifier	3	22.67	00:01:36	0.00%	33.33%
bamboo flooring basement	3	1.33	00:01:16	66.67%	66.67%
bamboo flooring for basements	3	3.00	00:00:44	66.67%	66.67%
basement depot	3	9.33	00:04:55	66.67%	0.00%
basement egress window units	3	1.00	00:04:52	100.00%	66.67%
basement finishing connecticut	3	1.00	00:00:00	100.00%	100.00%
basement floor epoxy	3	1.33	00:00:09	100.00%	66.67%
basement floor options	3	2.00	00:00:15	100.00%	33.33%
basement floor preparation	3	3.67	00:03:49	100.00%	33.33%
basement floor seepage	3	1.00	00:00:00	100.00%	100.00%
basement floor water seepage repair poured concrete	3	2.33	00:00:53	33.33%	33.33%
basement flooring materials	3	1.33	00:04:12	100.00%	66.67%
basement flooring options concrete floor	3	7.00	00:13:29	33.33%	0.00%
basement piercing	3	1.67	00:08:55	100.00%	33.33%
basement tuxedo cost	3	1.33	00:01:10	100.00%	66.67%
basement wall cracks	3	3.00	00:01:06	66.67%	66.67%
basement wall repair	3	2.33	00:00:50	100.00%	33.33%
basement window wells	3	1.00	00:00:00	100.00%	100.00%
best flooring for basements	3	1.33	00:01:16	100.00%	33.33%
bowed basement wall	3	3.67	00:00:46	100.00%	66.67%
closet dehumidifiers	3	1.67	00:00:16	100.00%	66.67%
cracks in basement floors	3	3.33	00:02:20	66.67%	66.67%
crawl space flooding	3	1.00	00:00:00	100.00%	100.00%
crawl spaces, installing floor	3	1.33	00:02:15	33.33%	66.67%
egress door	3	1.00	00:00:00	100.00%	100.00%
egress window decoration	3	1.33	00:00:06	100.00%	66.67%
egress window drainage	3	2.67	00:01:23	100.00%	0.00%
egress windows colorado	3	1.00	00:00:00	100.00%	100.00%
egress windows illinois	3	2.00	00:02:02	100.00%	66.67%
foundation waterproofing products	3	1.33	00:00:05	66.67%	66.67%
heating basement floor	3	4.33	00:01:31	66.67%	33.33%
inexpensive basement flooring	3	3.67	00:03:01	66.67%	33.33%
iron bacteria sump	3	2.33	00:04:07	66.67%	33.33%
keeping water away from foundation	3	1.33	00:00:02	100.00%	66.67%

ontario building code egress window	3	1.00	00:00:00	100.00%	100.00%
proper repair basement leaks	3	6.67	00:07:06	66.67%	33.33%
types of bamboo flooring	3	1.00	00:00:00	100.00%	100.00%
window egress and ontario building code	3	4.67	00:04:39	33.33%	33.33%
"basement flooring" allergy	2	4.00	00:02:41	50.00%	0.00%
"iron bacteria" building code	2	1.50	00:00:32	0.00%	50.00%
'answers', 'basement'	2	1.50	00:01:47	50.00%	50.00%
asbestos in basement	2	1.00	00:00:00	100.00%	100.00%
					1 - 100 of 2,347



This country/territory sent 2,953 visits via 52 regions

Site Usage

Visits	Pages/Visit	Avg. Time on Site	% New Visits	Bounce Rate	
2,953 % of Site Total: 80.59%	2.38 Site Avg: 2.34 (1.68%)	00:01:53 Site Avg: 00:01:51 (1.66%)	85.68% Site Avg: 86.74% (-1.22%)	51.47% Site Avg: 52.84% (-2.58%)	
Region	Visits	Pages/Visit	Avg. Time on Site	% New Visits	Bounce Rate
Michigan	376	2.56	00:02:29	45.21%	32.71%
Illinois	306	2.60	00:01:59	90.20%	48.69%
New York	221	2.68	00:01:10	92.76%	53.39%
Ohio	159	2.33	00:01:53	94.97%	55.97%
Wisconsin	155	2.65	00:01:55	89.68%	44.52%
Pennsylvania	151	2.06	00:01:31	93.38%	55.63%
New Jersey	112	2.33	00:02:25	93.75%	50.89%
Missouri	101	1.94	00:01:20	92.08%	61.39%
Minnesota	91	2.64	00:01:52	91.21%	54.95%


Massachusetts	87	2.11	00:01:31	90.80%	56.32%
California	85	2.01	00:01:49	90.59%	55.29%
(not set)	76	2.76	00:04:41	59.21%	47.37%
Indiana	72	2.29	00:01:24	90.28%	54.17%
Iowa	68	2.15	00:01:25	92.65%	50.00%
Virginia	68	2.24	00:01:24	97.06%	64.71%
Maryland	60	2.22	00:01:07	93.33%	50.00%
Kentucky	60	2.03	00:01:11	91.67%	53.33%
Connecticut	60	2.47	00:01:23	90.00%	51.67%
Colorado	59	1.71	00:01:08	98.31%	69.49%
Kansas	56	2.86	00:02:47	85.71%	39.29%
Texas	49	1.73	00:00:30	93.88%	69.39%
North Carolina	48	2.33	00:01:45	97.92%	66.67%
Washington	48	2.60	00:02:09	89.58%	52.08%
Tennessee	37	1.97	00:00:32	97.30%	70.27%
Georgia	37	2.19	00:01:34	97.30%	64.86%
Nebraska	35	2.74	00:02:25	91.43%	48.57%
Florida	32	1.84	00:01:17	87.50%	68.75%
District of Columbia	19	2.84	00:03:05	84.21%	52.63%
New Hampshire	18	2.83	00:02:24	83.33%	50.00%
Utah	16	2.75	00:03:44	100.00%	56.25%
Alabama	14	1.43	00:02:33	92.86%	71.43%
Maine	14	2.43	00:04:03	100.00%	28.57%
South Dakota	12	1.42	00:00:36	100.00%	75.00%
Idaho	12	1.67	00:00:44	100.00%	58.33%
Vermont	11	2.82	00:01:26	100.00%	45.45%
South Carolina	10	2.00	00:09:51	90.00%	70.00%
Rhode Island	10	3.50	00:03:41	100.00%	30.00%
Oregon	10	2.20	00:00:47	100.00%	50.00%
Louisiana	10	1.50	00:01:43	80.00%	60.00%
Oklahoma	10	2.50	00:01:11	100.00%	60.00%
Arkansas	9	1.89	00:00:18	100.00%	33.33%
Arizona	9	1.44	00:00:35	100.00%	66.67%
West Virginia	9	4.44	00:03:53	100.00%	55.56%
Delaware	9	1.67	00:02:13	88.89%	55.56%
Montana	9	1.44	00:00:21	100.00%	77.78%

Wyoming	8	2.38	00:01:11	100.00%	50.00%
North Dakota	8	3.12	00:02:12	100.00%	37.50%
Alaska	8	2.25	00:01:16	100.00%	62.50%
Mississippi	3	2.33	00:00:15	100.00%	66.67%
Nevada	3	2.00	00:01:04	100.00%	33.33%
New Mexico	2	1.00	00:00:00	100.00%	100.00%
Hawaii	1	1.00	00:00:00	100.00%	100.00%

1 - 52 of 52

Top Exits

Comparing to: Site



3,664 visits exited from 64 URLs

Exit Pages

URL	Exits	Pageviews	% Exit
/windows.php	499	936	53.31%
/floorsystems.php	403	717	56.21%
/concretecrack.php	393	775	50.71%
/index.php	378	991	38.14%
/crawlspaces.php	251	435	57.70%
/dehumidifiers.php	239	421	56.77%
/fdnwaterproof.php	190	458	41.48%
/bfinishing.php	135	291	46.39%
/bdoors.php	112	252	44.44%
/bambooflooring.php	96	124	77.42%
/drainage.php	92	341	26.98%
/bowedwalls.php	85	222	38.29%
/radheat.php	85	175	48.57%
/contractorsearch.php	77	501	15.37%
/hardfloor.php	63	174	36.21%
/sumppumps.php	61	165	36.97%
/fdninsulation.php	57	195	29.23%
/lights.php	55	132	41.67%
/furniture.php	50	94	53.19%
/piering.php	36	102	35.29%
/radon.php	35	94	37.23%
/floorcoat.php	34	130	26.15%

Exits
3,664

% of Site Total:
100.00%

Pageviews
8,500

% of Site Total:
99.17%

% Exit
43.11%

Site Avg:
42.75% (0.84%)

/bflood.php	28	64	43.75%
/ironbacteria.php	23	68	33.82%
/mold.php	23	89	25.84%
/grading.php	16	47	34.04%
/enews.php	15	24	62.50%
/insulatedconc.php	15	54	27.78%
/asbestos.php	12	23	52.17%
/elevators.php	11	29	37.93%
/fdnmaintenance.php	11	34	32.35%
/login.php	11	40	27.50%
/pests.php	11	31	35.48%
/closetd.php	10	35	28.57%
/esumps.php	6	20	30.00%
/findcontractor.php	6	64	9.38%
/irthermo.php	6	29	20.69%
/aboutcontractors.php	4	18	22.22%
/contactus.php	3	30	10.00%
/hwarranty.php	3	18	16.67%
/cache.aspx?q=73065650525334&mkt=en-CA&lang=en-CA&w=305556c8,c3e51558&FORM=CVRE7	1	1	100.00%
/cache.aspx?q=73065768093438&mkt=en-CA&lang=en-CA&w=4214139b&FORM=CVRE	1	2	50.00%
/findanswers.php	1	8	12.50%
/finsure.php	1	19	5.26%
/login.php?ident=17&activate=3d801aa532c1cec3ee82d87a99fdf63f&language=en	1	1	100.00%
/needcontractor.php	1	4	25.00%
/search?q=cache:mWUm_mE5cbYJ:www.basementquestions.com/bambooflooring.php+bamboo+flooring+basement&hl=en&ct=clnk&cd=19&gl=ca&client=firefox-a	1	2	50.00%
/search?q=cache:psi4GQ6OCskJ:www.basementquestions.com/crawlspaces.php+crawl+space+sill+repair&hl=en&ct=clnk&cd=16&gl=us	1	1	100.00%
/search?q=cache:q1LX9ajbgjQJ:www.basementquestions.com/windows.php+IRC-2003+window+egress+ohio&hl=en&ct=clnk&cd=2&gl=us	1	1	100.00%
/search?q=cache:q1LX9ajbgjQJ:www.basementquestions.com/windows.php+building+code+manitoba+basement+windows&hl=en&ct=clnk&cd=3&gl=ca&client=firefox-a	1	1	100.00%

/search?q=cache:q1LX9ajbgjQJ:www.basementquestions.com/windows.php+egress+window+Ontario+Building+Code&hl=en&ct=clnk&cd=8&gl=ca	1	1	100.00%
/search?q=cache:vkxbN4M_WwAJ:www.basementquestions.com/concretecrack.php+concrete+crack+repair,+new+jersey&hl=en&ct=clnk&cd=5&gl=us	1	1	100.00%
/search?q=cache:xSUIbRRHwx8J:www.basementquestions.com/fdnwaterproof.php+BASEMENT+WATER+LEAKAGE+"IDENTIFICATION"&hl=en&ct=clnk&cd=11&gl=ca	1	1	100.00%
/search?q=cache:xSUIbRRHwx8J:www.basementquestions.com/fdnwaterproof.php+floor+to+wall+joint+waterproofing&hl=en&ct=clnk&cd=6&gl=ca	1	1	100.00%
/search?q=cache:z4ewDnjgLgkJ:www.basementquestions.com/dehumidifiers.php+"mold+abatment"+cost+expense&hl=en&ct=clnk&cd=6&gl=us	1	2	50.00%
/search?q=cache:z4ewDnjgLgkJ:www.basementquestions.com/dehumidifiers.php+basement+dehumidifier+radon&hl=en&ct=clnk&cd=5&gl=us	1	2	50.00%
/sitesearch.php?query=basement+dehimidifying+&search=1	1	2	50.00%
/sitesearch.php?query=floor+heating&search=1	1	1	100.00%
/sitesearch.php?search=1&query=missed+rebar	1	1	100.00%
/sponsorapp.php?page=grading	1	1	100.00%
/translate_c?hl=ja&sl=en&u=http://www.basementquestions.com/crawlspaces.php&prev=/search?q=Basement%E3%80%80foundation+CrawlSpace+Share&start=10&hl=ja&lr=&sa=N	1	1	100.00%
/translate_c?hl=ru&u=http://www.basementquestions.com/&prev=/search?q=+concrete+decor+floor+.net&complete=1&hl=ru&lr=&nwindow=1&sa=G	1	1	100.00%
/translate_c?hl=zh-CN&u=http://www.basementquestions.com/&prev=/search?q=concrete&start=10&hl=zh-CN&rls=SUNA,SUNA:2006-41,SUNA:zh-CN&sa=N&pwst=1	1	2	50.00%
/translate_c?hl=zh-CN&u=http://www.basementquestions.com/index.php&prev=/search?q=concrete&start=10&hl=zh-CN&rls=SUNA,SUNA:2006-41,SUNA:zh-CN&sa=N&pwst=1	1	1	100.00%

1 - 64 of 64